

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/816,848	04/05/2004	Yoshiyuki Asayama	251407US0DIV	2704
22850 7590 07/06/2007 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET			EXAMINER	
			SANDERS, JANIS C	
ALEXANDRIA, VA 22314			ART UNIT .	PAPER NUMBER
			1732	
•				
•			NOTIFICATION DATE	DELIVERY MODE
			07/06/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com oblonpat@oblon.com jgardner@oblon.com

• •					
	Application No.	Applicant(s)			
	10/816,848	ASAYAMA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Janis Sanders	1732			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION B6(a). In no event, however, may a reply be tin fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D. (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 05 Ap	<u>oril 2004</u> .				
, -	·				
•	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) ☐ Claim(s) 17-24 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 17-24 is/are rejected. 7) ☐ Claim(s) 21 is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed and all accomposed are specified any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Se ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) ☑ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ☑ Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 4/05/2004.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate			

This office action replaces the office action mailed 6/14/07.

Art Unit: 1732

DETAILED ACTION

Specification

1. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

The abstract of the disclosure is objected to because the content exceeds 150 words and is not limited to a single paragraph. Correction is required. See MPEP § 608.01(b).

Information Disclosure Statement

2. An initialed and dated copy of Applicant's IDS form 1449 filed 04/05/2004, is attached to the instant Office action.

Claim objections

3. Claim 21 is objected to because of the following informalities:

Art Unit: 1732

Claim 21 discloses the formula $0.15 \le N/(S1)^{1/2}$. For the purpose of examination, the interpretation $0.15 \le H/(S1)^{1/2}$ will be assumed.

Claim 21 is further objected to because of the basis weight unit is required as g/cm². For the purpose of examination, the unit will be interpreted as g/m² as provided in the specifications (page 15, line 7).

Appropriate correction is required.

Claim Rejections - 35 USC § 112, second paragraph

- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.
- 5. Claims 17-20 and 22 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The phrase "by JIS-P 8126" in claim 17 is unclear, which renders the claim vague and indefinite. It is unclear from the claim language and specification what steps are involved in the testing procedure of "JIS-P 8126".

Art Unit: 1732

The phrase "by JIS-P 8113" in claim 17 is unclear, which renders the claim vague and indefinite. It is unclear from the claim language and specification what steps are involved in the testing procedure of "JIS-P 8113".

Claim 22 recites the limitation "low density paper," which renders the claim unclear.

There is insufficient antecedent basis for this limitation in the claim. For the purpose of examination, the interpretation "low density layer" will be assumed.

Clarification and/or correction are required.

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 17-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Katsura et al. in view of Norlander et al.

Regarding claim 17, Katsura et al. (US 4,775,560) discloses a process for preparing a molded heat resistant container suitable for food packaging (column 2, lines 15-20) comprising molding under heat and pressure a paper laminate (considered to correspond to the molding base

Art Unit: 1732

paper) (column 9, lines 35-45). It is the position of the examiner that any molding step that changes the shape of the base paper by heat and pressure performs a draw molding step. It is further noted that the molding step taught by the reference is the same as disclosed in the instant specification at pages 27-28. In an example, the reference details the preparation of a rectangular tray having a length of 16 cm, a width of 9.5 cm, and a depth of 2 cm (column 11, lines 25-30). These measurements yield a value of 0.16, which satisfies formula (5).

The difference between the reference and the claims is that Katsura et al. does not disclose the properties of the base molding paper required by claim 17.

Norlander et al. (WO 00/14333) discloses a paper or paperboard laminate (considered to correspond to the molding base paper) suitable as an intermediate product for packaging of food products (page 4, lines 1-5). The laminate has a basis weight of between 50 and 500 g/m2 and a tensile index of 50-100Nm/g (page 4, lines 25-30 and page 5, lines 1-2). These values yield a tensile strength of 2.5-50 kN/m. The examples detail the preparation of laminates having an elongation at break of at least 1.5% (refer to Tables 4-6 on pages 23, 26, and 28).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the process taught by Katsura et al. to include the use of the laminate taught by Norlander et al. One would have been motivated to do so to in order to have a molding base paper, which exhibits very great stiffness and lower material consumption (refer to page 3, lines 30-39 of the WO reference). Because both molding base papers are suitable for use in the preparation of containers for the packaging of foodstuffs, one of ordinary skill would have been motivated to substitute one for the other with a reasonable expectation of success.

Art Unit: 1732

With respect to property (3), the combined teachings of the reference do not specifically teach the claimed critical compression stress. However, because the WO reference discloses a paper laminate having the same density, basis weight, composition, and tensile strength as the instant molding base paper, it is the position of the examiner that the compression stress would necessarily be the same. With respect to property (4), the combined teachings of the reference do not specifically teach the amount of compression deformation. However, because the WO reference discloses paper laminate having the same density, basis weight, composition, and tensile strength as the instant molding base paper and the combined teachings of the reference teach the preparation of a vessel under the same conditions as the instant vessel and satisfies the formula (5), it is the position of the examiner that the amount of compression deformation would necessarily be the same.

Regarding claim 18, Norlander et al. teaches that the low density bulk layer is formed from either chemi-thermomechanical pulp or thermomechanical pulp (Page 5, lines 11 - 13).

Regarding claim 19, Norlander et al. teaches that 45-90% of the bulk layer consists of cellulose fibers (abstract).

Regarding claim 20, Norlander et al. teaches that to further reinforce the strength of the base paper, surface layers of synthetic resins are coated on the surface, where the resins are chosen from polyethylene, polypropylene, polyethylene vinyl alcohol co-polymer, polyvinyl alcohol and cellulose esters (Page 8, lines 23 - 28).

8. Claims 21-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Katsura et al. in view of Norlander et al.

Art Unit: 1732

Regarding claim 21, Katsura et al. (US 4,775,560) discloses a process for preparing a molded heat resistant container suitable for food packaging (column 2, lines 15-20) comprising molding under heat and pressure a paper laminate (considered to correspond to the molding base paper) (column 9, lines 35-45). It is the position of the examiner that any molding step that changes the shape of the base paper by heat and pressure performs a draw molding step. It is further noted that the molding step taught by the reference is the same as disclosed in the instant specification at pages 27-28. In an example, the reference details the preparation of a rectangular tray having a length of 16 cm, a width of 9.5 cm, and a depth of 2 cm (column 11, lines 25-30). These measurements yield a value of 0.16, which satisfies formula (1).

The difference between the reference and the claims is that Katsura et al. does not disclose the properties of the base molding paper required by claim 21.

Norlander et al. (WO 00/14333) discloses a molding base paper used for packing food items and industrial goods (Page 4, lines 1 - 3) containing a low density bulk layer, which has a density between 0.05 g/cm³ and 0.3 g/cm³ (Page 4, lines 12 - 16), with a secondary layer laminated one at least one side (Page 4, lines 26 - 27) having a higher density of 0.3 to 1.5 g/cm³ (Page 4, lines 20 - 24). The base paper has a basis weight of 50 g/cm2 and 500 g/m² (Page 4, lines 26 - 28) and a density of 0.1-0.5 g/cm3 (page 32, claim 8).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the process taught by Katsura et al. to include the use of the laminate taught by Norlander et al. One would have been motivated to do so to in order to have a molding base paper, which exhibits very great stiffness and lower material consumption (refer to page 3, lines 30-39 of the WO reference). Because both molding base papers are suitable for use

Art Unit: 1732

in the preparation of containers for the packaging of foodstuffs, one of ordinary skill would have been motivated to substitute one for the other with a reasonable expectation of success.

Regarding claims 22-23, Norlander et al. teaches the low density bulk layer is formed from either chemi-thermomechanical pulp or thermomechanical pulp (Page 5, lines 11 - 13).

Regarding claim 24, Norlander et al. teaches to further reinforce the strength of the base paper, surface layers of synthetic resins are coated on the surface, where the resins are chosen from polyethylene, polypropylene, polyethylene vinyl alcohol co-polymer, polyvinyl alcohol and cellulose esters (Page 8, lines 23 - 28).

Remarks

9. No claim is allowed.

Conclusion

- The prior art made of record and not relied upon is considered pertinent to applicant's 10. disclosure. Yagi (US 5,695,608), Kinsley (US 4,775,560), Doki (US 5,942,573) and Park (US 5,830,320) disclose methods of paper/paper composite manufacturing.
- Any inquiry concerning this communication or earlier communications from the 11. examiner should be directed to Janis Sanders whose telephone number is 571-272-7145. The examiner can normally be reached on M-Th and alternating Fridays 7:30-5pm.

Application/Control Number: 10/816,848 Page 9

Art Unit: 1732

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on 571-272-1176. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

Janis Sanders Patent Examiner Art Unit 1732

05/31/07

CHRISTINA JOHNSON SUPERVISORY PATENT EXAMINER